



Clax® Hypo conc Bleach - low temp - hypochlorite

Revision: 2022-08-26

Version: 02.0

1. IDENTIFICATION

Product name: Clax® Hypo conc
Bleach - low temp - hypochlorite

SDS #: MS0800081

Recommended use:

- Industrial/Institutional
- Laundry care
- This product is intended to be diluted prior to use

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: https://sds.diversey.com	Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171
--	---

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Metal Corrosion:	Category 1



Signal word: Danger.

Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store locked up. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable

Clax® Hypo conc
Bleach - low temp - hypochlorite

Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product 1:153

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Hazard and Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Sodium hypochlorite	7681-52-9	7 - 13%
Sodium chloride	7647-14-5	5 - 10%
Sodium hydroxide	1310-73-2	> 0.1 - < 1%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash with plenty of water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Notes to physician: Treat symptomatically.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed: Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water.

Skin: No specific first aid measures are required

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Prevent product from entering drains. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Store in corrosive-resistant container with a resistant inner liner.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Sodium hydroxide	2 mg/m ³ (Ceiling)	2 mg/m ³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection:	Chemical-splash goggles.
Hand protection:	Chemical-resistant gloves.
Skin and body protection:	Protective footwear. Wear suitable protective clothing.
Respiratory protection:	No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection:	No personal protective equipment required under normal use conditions.
Hand protection:	No personal protective equipment required under normal use conditions.
Skin and body protection:	No personal protective equipment required under normal use conditions.
Respiratory protection:	No personal protective equipment required under normal use conditions.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Evaporation Rate: No information available

Odor threshold: Not applicable

Melting point/freezing point (°C):

Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 1.232 Kg/L

Bulk density: No information available

Flash point (°F): > 200 °F > 93 °C

Viscosity: 5 mPa.s

VOC: 0 % *

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined **- lower:** Not determined

Color: Clear , Light , Yellow

Odor: Chlorine

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 1.23

Vapor density: No information available

Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0 % by wt.

pH: >= 11.5

Corrosion to metals: Metal corrosive

Dilution pH: ≈ 11

Dilution Flash Point (°F): 200 93.3

VOC % by wt. at use dilution: 0 %

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Clax® Hypo conc
Bleach - low temp - hypochlorite

Reactivity:	Not Applicable
Stability:	Stable at normal conditions Unstable at elevated temperatures and pressures
Possibility of hazardous reactions:	May vigorously react with acids resulting in spattering and excessive heat.
Hazardous decomposition products:	Chlorine; Oxygen.
Materials to avoid:	Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use directions.
Conditions to avoid:	None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, gases (mg/l): >20000

ATE - Inhalatory, mists (mg/l): >5

ATE - Inhalatory, vapors (mg/l): >20

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, sodium hypochlorite), 8, III

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, sodium hypochlorite), 8, III, MARINE POLLUTANT (sodium hypochlorite)

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA

All components are listed or otherwise exempt

DSL

All components are listed or otherwise exempt

US RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium hypochlorite	7681-52-9	X	X	X	X
Sodium chloride	7647-14-5	-	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	X
Sodium carbonate	497-19-8	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hypochlorite	7681-52-9	7 - 13%	100		
Sodium hydroxide	1310-73-2	> 0.1 - < 1%	1000		

Clean Air Act/Clean Water Act

Canadian Regulations

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 0

Instability 0

Special Hazards -

Diluted Product:

Health 0

Flammability 0

Instability 0

Special Hazards -

Revision: 2022-08-26

Version: 02.0

Reason for revision:

Not applicable

Prepared by:

NAPRAC

Additional advice:

• Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty,

express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.