

SAFETY DATA SHEET

PURZEN Page 1 of 5

Date prepared: June 10, 2020 MSDS: Purzen SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name Purzen

Recommended use of the chemical and restrictions on use

Recommended use Alcohol based hand sanitizer

Supplier details

West Penetone Inc. 10900 Secant Montréal, QC, H1J 1S5

Tel: 514-355-4660

Emergency Telephone Number

Canutec: (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids	Category 3
Eye damage/Irritation	Category 2B

Label Elements

WARNING

Hazard Statements

Flammable liquid and vapor Cause serious eye irritation





Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Avoid breathing mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO₂, foam, dry chemical, water fog to extinguish.

Date prepared: June 10, 2020 MSDS: Purzen SDS GHS

Page 2 of 5

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Ethanol	64-17-5	60-70

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Call a physician if irritation persists.

Skin contact Not applicable.

Inhalation If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and

keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation or discomfort. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, foam, dry chemical, water fog.

Unsuitable Extinguishing Media

Do not use a solid water stream as this may spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, smoke and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Page 3 of 5 Date prepared: June 10, 2020

MSDS: Purzen SDS GHS

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with eyes and clothing. Use personal protective equipment.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with eyes and clothing. Ensure thorough ventilation of work areas.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated

place, away from incompatible materials.

Incompatible Materials Strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV
ethanol	STEL: 1000 ppm
64-17-5	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face Protection Not required.

Skin and body protection Not required.

Respiratory Protection Not required during normal product use.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

PURZEN
Date

Date prepared: June 10, 2020 MSDS: Purzen SDS GHS

Page 4 of 5

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, colorless liquid Not available

ODOR
Alcohol

VAPOR DENSITY (Air = 1):
Not applicable

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable

pH: SOLUBILITY IN WATER:

6.5-7.5 Complete

MELTING POINT / FREEZING POINT : PARTITION COEFFICIENT, N-OCTANOL/WATER :

< - 40°C Not available

BOILING POINT/BOILING RANGE : AUTO-IGNITION TEMPERATURE :

95°C Not available

FLASH POINT: DECOMPOSITION TEMPERATURE:

24°C (TCC)

EVAPORATION RATE, water = 1:

> 1

Not available

VISCOSITY:

Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

Not applicable UPPER: Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity Conditions to Avoid

Not reactive Store away from incompatible materials and sources of ignition.

Chemical Stability Possibility of hazardous reactions

Stable under normal conditions. None

Incompatible Materials Hazardous decomposition products

Strong oxidizers. None

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ethanol 64-17-5	7060 mg/kg (rat)	20000 mg/kg (rabbit)	>25000 mg/m³ (rat) 4 h

Information on likely sources of exposure

Inhalation May cause respiratory irritation and possible damage

Serious eye damage/irritation Causes eye irritation.

Skin corrosion/irritation IngestionMay dry skin after prolonged or excessive use.

May be harmful if swallowed. Minimal toxicity

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization None known Germ cell mutagenicity None known

Carcinogenicity No listed carcinogens.

Reproductive toxicity None known

STOT - single exposure May cause drowsiness, or dizziness.

STOT - repeated exposure None known Aspiration Hazard None known

Symptoms related to the physical, chemical and toxicological characteristics

See Section 2 & 4.

Page 5 of 5 Date prepared: June 10, 2020 MSDS: Purzen SDS GHS

12. ECOLOGICAL INFORMATION

Ecotoxicity

Low toxicity to aquatic organisms

Persistence and degradability Bioaccumulative potential

Readily biodegradable low

Mobility in soil Other adverse effects

No information available None known

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

UN 1993, Flammable Liquid, n.o.s. (ethanol), Class 3, PG II

15. REGULATORY INFORMATION

All ingredients are listed on the DSL NPN 80099647

16. OTHER INFORMATION

Preparation DateJune 10, 2020Revision Datenot applicableRevision Notenot applicable

Disclaime

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS